

## Characteristics



- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- Designed for mercury recovery
- Thru-Flow heavy duty motor
- For dry recovery only
- Stainless steel recovery tank
- EMI/RFI Shielded
- Timer (hour counter) included
- Available with an optional variable speed controller
- Includes Mersorb® brand carbon for the adsorption of mercury vapors
- Includes a suction hose, mercury separator and jars with lids
- Includes a complete tool kit.
- Mounted on a 4-Wheel Dolly for easy maneuverability

## Specifications

MRV-900 (HMR)	112136A
<b>Model Name</b>	MRV-900 (HMR)
<b>Type (Powerhead)</b>	Electric
<b>Voltage</b>	120 V
<b>Hertz</b>	60 Hz
<b>Phase</b>	Single
<b>Wattage</b>	1000 W
<b>Power</b>	1.3 HP
<b>Amperage</b>	8.5 A
<b>Air Flow</b>	120 CFM
<b>Vacuum Pressure</b>	95 " H <sub>2</sub> O
<b>Plug Type</b>	120V
<b>Suction Inlet</b>	1.5 "
<b>Cart Type</b>	4 Wheel Dolly (4W)
<b>Filter Cleaning</b>	None
<b>Dry Recovery - Disposable Filter Bag</b>	2.5 gal.
<b>Length</b>	16 "
<b>Width</b>	16 "
<b>Height</b>	32 "
<b>Weight (Vacuum Only)</b>	46 lb.
<b>Cord Length</b>	35 ft.

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



Mercury Recovery Separator with Jar - Included



Activated Carbon Cartridge for Mercury Recovery - Included



MRV-900 (HMR) Tools and Accessories - Included



Clear Suction Hose Assembly for use with Mercury Separator - Included



Clear Polyliner Recovery Bags - Included



Jar for Mercury Recovery, 8 oz (216 ml) with lid - Optional



MRV Optional Variable Speed Controller with included Hour Counter



Disposable Recovery Bag - Included