



Applicable requirements :  
Standard(s) for Electric Vacuum Cleaning Machines and Blower  
Cleaners (UL-1017)

## Characteristics



HEPA -  
Included



High Filtration  
Efficiency Unit



Dry Recovery



Accessories  
Included



Low Noise



- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- Designed for the recovery of asbestos, lead, mold, etc.
- Lightweight and portable
- Thru-Flow heavy duty motor
- 4-stage filtration system
- For dry recovery only
- Heavy duty plastic recovery tank
- Ready to use - filters and tool kit included
- Mounted on a 4-Wheel Dolly for easy maneuverability

## Specifications

AS-5 HEPA	110750A
<b>Model Name</b>	AS-5 HEPA
<b>Type (Powerhead)</b>	Electric
<b>Voltage</b>	120 V
<b>Hertz</b>	60 Hz
<b>Phase</b>	Single
<b>Wattage</b>	996 W
<b>Power</b>	1.3 HP
<b>Amperage</b>	8.3 A
<b>Air Flow</b>	96 CFM
<b>Vacuum Pressure</b>	99 " H <sub>2</sub> O
<b>Sound Level</b>	59 dB(A)
<b>Plug Type</b>	120V
<b>Suction Inlet</b>	1.5 "
<b>Cart Type</b>	4 Wheel Dolly (4W)
<b>Filter Cleaning</b>	None
<b>Dry Recovery - Disposable Filter Bag</b>	2 gal.
<b>Length</b>	14 "
<b>Width</b>	14 "
<b>Height</b>	17 "
<b>Weight (Vacuum Only)</b>	17 lb.
<b>Cord Length</b>	33 ft.

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



Disposable Filter Bag and Poly Liner Recovery Bag - Included



AS-5 HEPA Carry Handle - Included



AS-5 HEPA Foam Filter - Included



AS-5 Tools and Accessories - Included



Beater Bar - Optional