



Applicable requirements :
Standard(s) for Electric Vacuum Cleaning Machines and Blower
Cleaners (UL-1017)

Characteristics



HEPA -
Included



High Filtration
Efficiency Unit



Dry Recovery



Accessories
Included



- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- 3-stage filtration system, includes a HEPA (H14) filter, main cloth filter, and disposable filter bags
- Thru-Flow heavy duty motor
- For dry recovery only
- All plastic construction
- Includes a complete tool kit.

Specifications

T1-3L (WM) HEPA	112214A
Model Name	T1-3L (WM) HEPA
Type (Powerhead)	Electric
Voltage	120 V
Hertz	60 Hz
Phase	Single
Wattage	1250 W
Power	1.7 HP
Amperage	10.5 A
Air Flow	107 CFM
Vacuum Pressure	120 " H ₂ O
Sound Level	60 dB(A)
Plug Type	120V
Suction Inlet	1.5 "
Cart Type	Wall Mounted (WM)
Filter Cleaning	None
Dry Recovery - Disposable Filter Bag	0.8 gal.
Length	10 "
Width	10 "
Height	20 "
Weight (Vacuum Only)	11 lb.
Cord Length	33 ft.

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



T1-3L (WM) Suction Hose Assembly - Included



Disposable Filter Bag - Included



T1-3L (WM) Tools and Accessories - Included



Rear View



With bracket installed



Front View



HEPA Filter for model T1-3L HEPA - Included