

CLEANING MACHINES FOR UNCLASSIFIED (GENERAL PURPOSE) AREAS

All the electrical components are certified by an NRTL such as UL, CSA or ETL



Complies with NFPA 77 "Recommended Practice on Static Electricity"

### Characteristics



Three Motors



HEPA - Included



High Filtration Efficiency Unit



Dry Recovery



Detachable Tank



SS 304



SD Accessories - Included



- Complies with NFPA 652 paragraph 8.4.2.2.1.7 and NFPA 654 paragraph 8.4.3.7 (1) to (7)
- 3 motors (individual). 1, 2 or 3 motors can be used at one time
- Includes a star shaped main filter
- Manual Filter Shaker (MFS) system
- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- Filter chamber and recovery tank made of stainless steel SAE 304
- Detachable recovery tank (DT) for easy disposal of recovered materials
- Pressure gage and illuminated filter blockage indicator
- Includes a complete static dissipative tool kit

## Specifications

TV-201 (DT) MFS HEPA ORDLOC-652	111887A-652
<b>Model Name</b>	TV-201 (DT) MFS HEPA ORDLOC-652
<b>Type (Powerhead)</b>	Electric
<b>Voltage</b>	120 V
<b>Hertz</b>	60 Hz
<b>Phase</b>	Single
<b>Wattage</b>	2400 W
<b>Power</b>	3.2 HP
<b>Amperage</b>	15.8 A
<b>Air Flow</b>	270 CFM
<b>Vacuum Pressure</b>	71.5 " H <sub>2</sub> O
<b>Sound Level</b>	70 dB(A)
<b>Plug Type</b>	20 Amps
<b>Suction Inlet</b>	70 mm
<b>Cart Type</b>	Detachable Tank (DT)
<b>Filter Cleaning</b>	Manual Filter Shaker (MFS)
<b>Filter Type</b>	Star Shaped + HEPA
<b>Filter Surface Area</b>	21 ft <sup>2</sup> + 10.8 ft <sup>2</sup>
<b>Dry Recovery - Tank</b>	10.5 Gal (40 L)
<b>Length</b>	29 "
<b>Width</b>	25 "
<b>Height</b>	44 "
<b>Weight (Vacuum Only)</b>	122 lb.
<b>Cord Length</b>	30 ft.

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



Side Mounted Manual Filter Shaker



Tangential Suction Inlet, 70mm, Aluminum



HEPA Filter Cartridge - Included



Conductive Star Shaped Filter with Cage for ORDLOC 652 - Included



Optional Front Mount Floor Tool



Detachable Recovery Tank for easy emptying



Ø2" (Ø50mm) Static Conductive Tool Kit - Included



Independent Control for each motor. Pressure Gage and Filter Blockage Indicator